UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/709,110	04/14/2004	John Wiedel	34082	3109
23589 HOVEY WILL	7590 03/24/200 IAMS LLP	EXAMINER		
	Slvd., Suite 1000	NGUYEN, JIMMY T		
Overland Park, KS 66210			ART UNIT	PAPER NUMBER
			3725	
			MAIL DATE	DELIVERY MODE
			03/24/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Supplemental Notice of Allowability

Application No.	Applicant(s)	
10/709,110	WIEDEL, JOHN	
Examiner	Art Unit	
JIMMY T. NGUYEN	3725	

			i
	JIMMY T. NGUYEN	3725	
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to and MPEP 1308.	olication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to Notice of Allowance n	<u>nailed 1/28/08</u> .		
2. X The allowed claim(s) is/are 11, 12, 14-18 and 24.			
3.	e been received. been received in Application No cuments have been received in this is of this communication to file a reply of this application. itted. Note the attached EXAMINER as reason(s) why the oath or declarate to be submitted. Son's Patent Drawing Review (PTO- as Amendment / Comment or in the Comment or in the Comment of BIOLOGICAL MATERIAL in sit of BIOLOGICAL MATERIAL in	national stage applical complying with the recomplying attached of the state	quirements OTICE OF
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendn 8. ☐ Examiner's Stateme 9. ☐ Other /JIMMY T. NGUYEN/ Primary Examiner Art Unit 3725	(PTO-413), e nent/Comment	wance

DETAILED ACTION

Oath/Declaration

This application is filed before June 1, 2008; therefore, the language "Code of Federal Regulation, §1.56 (a)" in the Declaration filed 4/14/2004 is acceptable. The objection to the Oath/Declaration as noted in the Notice for Allowance mailed January 28, 2008 has been withdrawn.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JIMMY T. NGUYEN whose telephone number is (571)272-4520. The examiner can normally be reached on Monday-Thursday 7:30am-5:00pm with alternating Friday 7:30am-4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Derris Banks can be reached on (571) 272-4419. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/709,110 Page 3

Art Unit: 3725

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JTNguyen March 10, 2008

> /JIMMY T. NGUYEN/ Primary Examiner Art Unit 3725